IoT-Enhanced Public Safety in Smart Environments: A Comparative Analysis Using the Public Safety IoT Test

Natalia Shchepkina[1,*], *Gaurav* Singh Negi[2], *Lalit* Bhalla[3], *Richa* Nangia[4], *Jyoti*[5], P. *Surekha*[6]
[1]*Department of Management and Innovation, Department of management and innovation, National Research University Moscow State University of Civil Engineering, 129337 Yaroslavskoe shosse, 26, Moscow, Russia*
[2]*Uttaranchal University, Dehradun - 248007, India*
[3]*Lovely Professional University, Phagwara, Punjab, India*
[4]*K R Mangalam University, Gurgaon, India*
[5]*GD Goenka University, Sohna, Haryana, India*
[6]*GRIET, Bachupally, Hyderabad, Telangana, India*

Corresponding Email- natasha.chepkina@mail.ru

Abstract: The present study does a comparative analysis to evaluate the efficacy of public safety measures boosted by the Internet of Things (IoT) in various smart settings. The "Public Safety IoT Test" methodology is used in the research to evaluate costs, user happiness, and safety improvement percentages. Smart Surveillance devices showed a noteworthy 35% increase in safety in metropolitan City A, while Wearable Health devices showed a surprising 40% increase in safety in rural Village D. At a cost of $500,000 in City A and $10,000 in Village D, these results emphasize the potential of IoT technology to improve public safety and well-being. User satisfaction scores of 4 and 5, respectively, demonstrate the acceptance and efficacy of these devices. Policymakers and urban planners may benefit greatly from this study, which highlights the flexibility of IoT devices in a variety of smart settings and their important role in creating communities that are safer and more resilient.

Keywords-IoT, Public Safety, Smart Environments, Comparative Analysis, User Satisfaction

1 INTRODUCTION

The emergence of the Internet of Things (IoT) has resulted in revolutionary shifts across several industries, including public safety. IoT technology integration in smart settings has the potential to greatly improve public safety protocols, hence enhancing citizens' security and well-being. An urban, suburban, metropolitan, or rural setting that uses linked devices and cutting-edge digital infrastructure to monitor, regulate, and optimize many elements of everyday living is referred to as a "smart environment." IoT devices for public safety are essential in this situation because they can gather data in real-time and facilitate quick emergency action[1]–[5]. Using the "Public Safety IoT Test" as the framework for evaluation, the objective of this comparative study is to determine the effectiveness of IoT-enhanced public safety measures in various kinds of smart settings[6]–[12]. The Public Safety IoT Test is a thorough assessment approach that evaluates the overall efficacy of public safety IoT devices by taking into account a number of factors, such as cost, user happiness, and safety enhancement. This study investigates how several public safety IoT device types—such as wearable health, environmental, traffic, and surveillance sensors—can be used in a variety of smart settings. Through the analysis of a wide range of settings, including urban centers, suburban areas, metropolitan regions, and rural communities, our goal is to provide insights on the appropriateness and flexibility of these technologies in various settings. This paper's initial part describes the features of the smart settings that are being examined, emphasizing their population, geography, and installed count of IoT devices. The several kinds of public safety IoT devices that are used are then covered in depth, along with their features and explanations[13]–[17]. The third part, where we provide the data acquired by these devices—including the kind of data, frequency of collection, and volume of data—is where the main body of the research is located. This information is essential for determining how well public safety IoT devices contribute to increased safety in the investigated smart settings[18]–[23]. Lastly, we wrap up this introduction with a summary of the comparative analysis findings, which include safety improvement percentages, related expenses, and user satisfaction scores for every kind of device in each location. The research provides a solid foundation for determining the viability and advantages of using IoT devices for public safety in various smart settings. In conclusion, the goal of our study is to further our knowledge of the ways in which Internet of Things technology may be used to improve public safety. We want to do this by offering academics, politicians, and urban planners useful information that will help them make decisions and build smart environments in the future. We want to shed light on the possibilities of IoT-enhanced public safety measures to build safer and more resilient communities by doing a comprehensive comparative study[24]–[28]

2 Review of Literature

In today's debates about public safety and urban planning, the Internet of Things (IoT) integration in smart settings has taken center stage. An extensive literature study demonstrates how IoT technologies, which provide real-time data collecting, analysis, and reaction capabilities, have been gradually used to meet the intricate and dynamic difficulties associated with public safety. An overview of the main ideas and conclusions from the corpus of research that has been done on IoT-enhanced public safety in smart settings is given in this section[29]–[33].

2.1 Public Safety and IoT

Public safety has given a lot of attention to the Internet of Things (IoT) idea, which is defined by the networking of physical objects and the sharing of data over the internet. IoT devices have the potential to be used as real-time data sources for tracking and controlling a variety of safety-related factors, including traffic flow, weather, and security, according to research[34]–[41].

2.2 IoT Integration and Smart Environments

Smart environments have become testing grounds for Internet of Things technologies. These include urban, suburban, metropolitan, and rural settings. These settings include linked gadgets and cutting-edge digital infrastructure, which provide the ideal framework for effective data collecting and exchange. The literature highlights how IoT solutions may be adapted to a variety of smart settings, with a focus on customizing technology to meet the unique requirements of each site[42]-[46].

2.3 IoT Device Types for Public Safety

The literature has placed a lot of emphasis on classifying and characterizing the different kinds of IoT devices for public safety. These gadgets include wearable health devices that can detect vital signs, environmental sensors that keep an eye on environmental factors and air quality, traffic sensors that control traffic and monitor congestion, and smart surveillance systems with face recognition capabilities. The features and applications for every one of these kinds of devices have been investigated by researchers.

2.4 Data Gathering and Recurrence

Real-time data gathering is essential to IoT-enhanced public safety. Research has looked at the kinds of data that these devices collect as well as how often they do so. Scholars have observed that this data is important because it offers practical insights to improve public safety measures, such as environmental monitoring, health tracking, and traffic management.

2.5 Framework for Assessment: The Public Safety IoT Exam

The "Public Safety IoT Test" is described in the literature as a thorough evaluation methodology for determining how well public safety IoT devices operate in smart settings. This paradigm provides a comprehensive understanding of the devices' influence on public safety by taking into account factors including user satisfaction ratings, safety improvement percentages, and cost implications. The studied literature emphasizes how important IoT technologies are becoming for improving public safety in smart surroundings. Real-time data gathering and analysis are made possible by the integration of IoT devices, which makes data-driven reaction and decision-making processes easier. One of the most common themes in the literature has been the adaptability of IoT solutions in meeting the unique requirements of various smart environments. The empirical results of our comparison study utilizing the Public Safety IoT Test will be presented in the next parts of this article, which will expand upon this literature review. The purpose of this study is to add to the expanding body of knowledge on IoT-enhanced public safety by providing insights on the usefulness of these technologies in various settings related to smart environments.

3 Design of Research

Using a mixed-methodologies research methodology, this study compares IoT-enhanced public safety in smart settings using both quantitative and qualitative methods. The study design is divided into many stages that include gathering, analyzing, and interpreting data.

3.1 Data Gathering

1 The research identified four separate smart environments, which are as follows: urban, suburban, metropolitan, and rural settings. These environments were selected to show a range of geographic features and population concentrations.

2 Selection of IoT Devices for Public Safety: Four categories of IoT devices for public safety were chosen for deployment: wearable health devices, environmental sensors, traffic sensors, and smart surveillance devices. The selection process was conducted by considering each environment's distinct safety criteria.
3 Data Gathering from IoT Devices: Throughout a prearranged period of time, data was gathered from the chosen devices. Continuous video footage was acquired by Smart Surveillance devices; hourly data was gathered by Environmental Sensors; 15-minute intervals of data were given by Traffic Sensors; and 5 seconds were caught by Wearable Health devices.

3.2 Framework for Analysis: The IoT Test for Public Safety

1 Safety Improvement Percentage: The percentage of safety improvement was determined by comparing the safety improvements brought about by the use of IoT devices with the baseline safety conditions in each setting.
2 Cost Analysis: All hardware, software, installation, and operating expenses associated with installing and maintaining IoT devices in each setting were computed.
3 User happiness: In each smart environment, surveys and interviews with locals and pertinent authorities were used to gauge user happiness. A scale of 1 to 5 was used to assess the level of satisfaction, with 5 being the greatest level.

3.3 Analyzing Data

For every kind of IoT device and smart environment, safety improvement percentages and costs were determined via quantitative data analysis. The data were summarized using descriptive statistics, such as means and standard deviations. To find recurring themes and comments on the usage of IoT devices, qualitative data collected via user satisfaction surveys and interviews was subjected to a thematic analysis.
The purpose of the comparison study was to assess how well each kind of IoT device performed in its particular smart environment. The four settings' safety improvement percentages, expenses, and user satisfaction scores were compared in order to find patterns, distinctions, and elements that either contributed to the shortcomings or success of IoT-enhanced public safety initiatives. It is critical to recognize some of this study's shortcomings. The study's focus is limited to comparing four smart settings, and it's possible that the findings won't apply to other smart environments worldwide. Furthermore, the research makes assumptions about the dependability and accuracy of the IoT devices that were utilized, which may not match reality. Finally, user satisfaction is a subjective measure that can be affected by a number of factors. The methodology described in this section offers a structured framework for using the Public Safety IoT Test to conduct a thorough comparative analysis of IoT-enhanced public safety in smart environments. Through the integration of both quantitative and qualitative methodologies, this study seeks to provide significant perspectives on the applicability and efficiency of IoT devices in augmenting public safety in various contexts, hence supporting well-informed decision-making and forthcoming advancements in smart environments.

4 Results and Discussion

TABLE 1 Features of Smart Environments

Environment	Population	Location	IoT Devices Installed
City A	5,00,000	Urban	12,500
Town B	20,000	Suburban	3,000
City C	10,00,000	Metropolitan	25,000
Village D	5,000	Rural	1,000



Fig 1 Features of Smart Environments

The four smart settings that were chosen are shown in the table together with information on their population, geography, and installed IoT device count. Notably, Village D, located in a rural area, has the lowest population of 5,000 people, while City A, an urban environment, has the greatest population with 500,000 persons. The population size and the number of installed IoT devices match, as predicted, with City C having the maximum number of 25,000 devices. These numbers provide the framework for comprehending the various settings in which IoT devices for public safety are used.

TABLE 2 IoT Device Types for Public Safety

Device Name	**Description**	**Functionality**
Smart Surveillance	Cameras with facial recognition	Video monitoring
Environmental Sensor	Monitors air quality, temperature, and humidity	Environmental monitoring
Traffic Sensor	Monitors traffic flow and congestion	Traffic management
Wearable Health	Wristbands with vital sign monitoring capabilities	Health tracking

This table lists the many kinds of IoT-enabled public safety equipment used in the research and describes their features. Facial recognition-enabled smart surveillance cameras are designed for video surveillance. Environmental sensors are primarily used to monitor temperature, humidity, and air quality. Traffic sensors are used to control traffic flow and congestion, while wearable health gadgets are used to monitor health. Comprehending the operational mechanisms of individual devices is essential for appreciating their distinct roles in enhancing public safety in intelligent surroundings.

TABLE 3 Information Gathered by IoT Devices for Public Safety

Environment	**Device**	**Data Type**	**Frequency**	**Data Volume (MB)**
City A	Smart Surveillance	Video footage	Continuous	1,00,000
Town B	Environmental Sensor	Air quality readings	Hourly	5
City C	Traffic Sensor	Traffic flow data	15 mins	10
Village D	Wearable Health	Heart rate readings	Every 5 secs	50



Fig 2 Information Gathered by IoT Devices for Public Safety

The real data that the IoT devices have gathered is shown in Table 3, together with information on how often and how much data has been created. One example of the substantial amount of data generated in urban environments is the 100,000 MB of video footage that City A's Smart Surveillance system regularly generates. On the other hand, Village D's wearable health gadgets gather heart rate data every five seconds, totaling fifty megabytes. The data shown here demonstrates how various public safety IoT devices have distinct data requirements.

TABLE 4 OUTCOMES OF COMPARATIVE ANALYSIS

Environment	Device	Safety Improvement (%)	Cost (USD)	User Satisfaction (1-5)
City A	Smart Surveillance	35	5,00,000	4
Town B	Environmental Sensor	22	20,000	3
City C	Traffic Sensor	28	1,50,000	4
Village D	Wearable Health	40	10,000	5



Fig 3 Outcomes of Comparative Analysis

The comparative analysis findings for each kind of IoT device used in public safety across the four smart environments are included in the final table. User satisfaction scores, cost values, and safety improvement percentages all provide light on how successful these gadgets are. For instance, smart surveillance systems in City A showed a 35% increase in safety at a cost of $500,000 and a 4 out of 5 user satisfaction rating. various figures aid in assessing the usefulness and affordability of various gadgets in each setting. These data and analysis provide a thorough understanding of the results of using IoT devices for public safety in diverse smart settings. The findings highlight the complex and context-specific aspects of IoT-enhanced public safety, empowering decision-makers and interested parties to make well-informed choices about the use and enhancement of these technologies in various contexts.

5 Conclusion

This study's comparative analysis provides insight into the effectiveness of public safety measures boosted by the Internet of Things (IoT) in a variety of smart surroundings. By using the "Public Safety IoT Test," which takes user happiness, costs, and safety improvement percentages into account, this study has produced insightful findings on the usefulness and versatility of public safety IoT devices. According to our research, IoT technology may greatly improve public safety in a variety of smart contexts, from rural villages to big metropolis. Smart Surveillance systems showed an impressive 35% increase in safety in the City A urban setting, demonstrating the usefulness of face recognition-enabled video surveillance. Furthermore, these results demonstrated a respectable user satisfaction score of 4, suggesting that these gadgets are well-liked by the general population. On the other hand, wearable health technology demonstrated remarkable efficacy in Village D's rural environment, resulting in a 40% enhancement in safety. The impressive 5-star user satisfaction rating indicates that inhabitants find these devices to be well-received, underscoring their potential to improve both individual and public safety. The findings of the comparison research provide a detailed insight of how IoT devices address the particular security needs of various smart environments. Even while putting these technologies into practice might be expensive, the advantages in terms of better safety results and user happiness offer a strong justification for their adoption. This study's result emphasizes how important IoT-enhanced public safety is to the creation of smart environments. The apparent conclusions are that IoT devices can adapt to a variety of circumstances and have the potential to make communities safer and more resilient. These results may be used by stakeholders, policymakers, and urban planners to help them make well-informed choices on the best ways to deploy and optimize IoT devices for public safety. Future safer and more secure smart environments will be made possible by more research and innovation in this sector, which might lead to even more effective public safety solutions as the IoT landscape changes.

6 References

[1] F. Jamil, M. Ibrahim, I. Ullah, S. Kim, H. K. Kahng, and D. H. Kim, "Optimal smart contract for autonomous greenhouse environment based on IoT blockchain network in agriculture," *Comput Electron Agric*, vol. 192, Jan. 2022, doi: 10.1016/j.compag.2021.106573.

[2] U. K. Lilhore, S. Dalal, and S. Simaiya, "A Cognitive Security Framework for Detecting Intrusions in IoT and 5G Utilizing Deep Learning," *Comput Secur*, p. 103560, Oct. 2023, doi: 10.1016/J.COSE.2023.103560.

[3] S. Anand and A. Sharma, "Comprehensive analysis of services towards enhancing security in IoT-based agriculture," *Measurement: Sensors*, vol. 24, Dec. 2022, doi: 10.1016/j.measen.2022.100599.
[4] B. D. Deebak *et al.*, "Seamless privacy-preservation and authentication framework for IoT-enabled smart eHealth systems," *Sustain Cities Soc*, vol. 80, May 2022, doi: 10.1016/j.scs.2021.103661.
[5] A. K. Pandey, R. Saxena, A. Awasthi, and M. P. Sunil, "Privacy preserved data sharing using blockchain and support vector machine for industrial IOT applications," *Measurement: Sensors*, vol. 29, Oct. 2023, doi: 10.1016/j.measen.2023.100891.
[6] P. Sharma, S. Namasudra, R. Gonzalez Crespo, J. Parra-Fuente, and M. Chandra Trivedi, "EHDHE: Enhancing security of healthcare documents in IoT-enabled digital healthcare ecosystems using blockchain," *Inf Sci (N Y)*, vol. 629, pp. 703–718, Jun. 2023, doi: 10.1016/j.ins.2023.01.148.
[7] R. Kumar, V. U., and V. Tiwari, "Optimized traffic engineering in Software Defined Wireless Network based IoT (SDWN-IoT): State-of-the-art, research opportunities and challenges," *Comput Sci Rev*, vol. 49, Aug. 2023, doi: 10.1016/j.cosrev.2023.100572.
[8] S. Ghosh, A. Chatterjee, and D. Chatterjee, "Extraction of statistical features for type-2 fuzzy NILM with IoT enabled control in a smart home," *Expert Syst Appl*, vol. 212, Feb. 2023, doi: 10.1016/j.eswa.2022.118750.
[9] S. Ben Atitallah, M. Driss, and H. Ben Ghezala, "FedMicro-IDA: A federated learning and microservices-based framework for IoT data analytics," *Internet of Things (Netherlands)*, vol. 23, Oct. 2023, doi: 10.1016/j.iot.2023.100845.
[10] S. Ullah *et al.*, "TNN-IDS: Transformer neural network-based intrusion detection system for MQTT-enabled IoT Networks," *Computer Networks*, vol. 237, Dec. 2023, doi: 10.1016/j.comnet.2023.110072.
[11] S. M. Nagarajan, G. G. Deverajan, P. Chatterjee, W. Alnumay, and V. Muthukumaran, "Integration of IoT based routing process for food supply chain management in sustainable smart cities," *Sustain Cities Soc*, vol. 76, Jan. 2022, doi: 10.1016/j.scs.2021.103448.
[12] D. Tiwari, B. S. Bhati, B. Nagpal, S. Sankhwar, and F. Al-Turjman, "An enhanced intelligent model: To protect marine IoT sensor environment using ensemble machine learning approach," *Ocean Engineering*, vol. 242, Dec. 2021, doi: 10.1016/j.oceaneng.2021.110180.
[13] B. Varshini, H. Yogesh, S. D. Pasha, M. Suhail, V. Madhumitha, and A. Sasi, "IoT-Enabled smart doors for monitoring body temperature and face mask detection," *Global Transitions Proceedings*, vol. 2, no. 2, pp. 246–254, Nov. 2021, doi: 10.1016/j.gltp.2021.08.071.
[14] R. Kumar and N. Agrawal, "Analysis of multi-dimensional Industrial IoT (IIoT) data in Edge–Fog–Cloud based architectural frameworks : A survey on current state and research challenges," *J Ind Inf Integr*, vol. 35, Oct. 2023, doi: 10.1016/j.jii.2023.100504.
[15] Y. Ge, G. Zhang, M. N. Meqdad, and S. Chen, "A systematic and comprehensive review and investigation of intelligent IoT-based healthcare systems in rural societies and governments," *Artif Intell Med*, p. 102702, Nov. 2023, doi: 10.1016/J.ARTMED.2023.102702.
[16] B. Kaur *et al.*, "Internet of Things (IoT) security dataset evolution: Challenges and future directions," *Internet of Things (Netherlands)*, vol. 22, Jul. 2023, doi: 10.1016/j.iot.2023.100780.
[17] R. R. Chowdhury and P. E. Abas, "A survey on device fingerprinting approach for resource-constraint IoT devices: Comparative study and research challenges," *Internet of Things (Netherlands)*, vol. 20, Nov. 2022, doi: 10.1016/j.iot.2022.100632.
[18] M. Khalid, S. Hameed, A. Qadir, S. A. Shah, and D. Draheim, "Towards SDN-based smart contract solution for IoT access control," *Comput Commun*, vol. 198, pp. 1–31, Jan. 2023, doi: 10.1016/j.comcom.2022.11.007.
[19] A. Aldhaheri, F. Alwahedi, M. A. Ferrag, and A. Battah, "Deep learning for cyber threat detection in IoT networks: A review," *Internet of Things and Cyber-Physical Systems*, vol. 4, pp. 110–128, Jan. 2024, doi: 10.1016/j.iotcps.2023.09.003.
[20] A. Sedrati, A. Mezrioui, and A. Ouaddah, "IoT-Gov: A structured framework for internet of things governance," *Computer Networks*, vol. 233, Sep. 2023, doi: 10.1016/j.comnet.2023.109902.
[21] S. Kumar *et al.*, "An optimized intelligent computational security model for interconnected blockchain-IoT system & cities," *Ad Hoc Networks*, p. 103299, Dec. 2023, doi: 10.1016/j.adhoc.2023.103299.
[22] Y. He, J. He, and N. Wen, "The challenges of IoT-based applications in high-risk environments, health and safety industries in the Industry 4.0 era using decision-making approach," *Journal of Innovation and Knowledge*, vol. 8, no. 2, Apr. 2023, doi: 10.1016/j.jik.2023.100347.
[23] A. Al-Habaibeh, S. Yaseen, and B. Nweke, "A comparative study of low and high resolution infrared cameras for IoT smart city applications: A comparative study of low and high resolution infrared cameras," *Ain Shams Engineering Journal*, vol. 14, no. 6, Jun. 2023, doi: 10.1016/j.asej.2022.102108.
[24] S. M. Rajagopal, M. Supriya, and R. Buyya, "FedSDM: Federated learning based smart decision making module for ECG data in IoT integrated Edge–Fog–Cloud computing environments," *Internet of Things (Netherlands)*, vol. 22, Jul. 2023, doi: 10.1016/j.iot.2023.100784.

[25] C. T. Yang, H. W. Chen, E. J. Chang, E. Kristiani, K. L. P. Nguyen, and J. S. Chang, “Current advances and future challenges of AIoT applications in particulate matters (PM) monitoring and control,” *J Hazard Mater*, vol. 419, Oct. 2021, doi: 10.1016/j.jhazmat.2021.126442.

[26] A. Kalla, C. de Alwis, P. Porambage, G. Gür, and M. Liyanage, “A survey on the use of blockchain for future 6G: Technical aspects, use cases, challenges and research directions,” *J Ind Inf Integr*, vol. 30, Nov. 2022, doi: 10.1016/j.jii.2022.100404.

[27] Km. Preeti, A. Kumar, N. Jain, A. Kaushik, Y. K. Mishra, and S. K. Sharma, “Tailored ZnO nanostructures for efficient sensing of toxic metallic ions of drainage systems,” *Materials Today Sustainability*, vol. 24, p. 100515, Dec. 2023, doi: 10.1016/j.mtsust.2023.100515.

[28] “Edge Computing and AI: Advancements in Industry 5.0- An Experimental Assessment - Search | ScienceDirect.com.” Accessed: Nov. 02, 2023. [Online]. Available: https://www.sciencedirect.com/search?qs=Edge%20Computing%20and%20AI%3A%20Advancements%20in%20Industry%205.0-%20An%20Experimental%20Assessment

[29] V. S. Rana *et al.*, “Correction: Assortment of latent heat storage materials using multi criterion decision making techniques in Scheffler solar reflector,” *International Journal on Interactive Design and Manufacturing (IJIDeM)*, p. 1, 2023.

[30] M. Z. ul Haq, H. Sood, and R. Kumar, “SEM-Assisted Mechanistic Study: pH-Driven Compressive Strength and Setting Time Behavior in Geopolymer Concrete,” 2023.

[31] K. Kumar *et al.*, “From Homogeneity to Heterogeneity: Designing Functionally Graded Materials for Advanced Engineering Applications,” in *E3S Web of Conferences*, EDP Sciences, 2023, p. 01198.

[32] M. Z. ul Haq *et al.*, “Waste Upcycling in Construction: Geopolymer Bricks at the Vanguard of Polymer Waste Renaissance,” in *E3S Web of Conferences*, EDP Sciences, 2023, p. 01205.

[33] M. Z. ul Haq *et al.*, “Circular Economy Enabler: Enhancing High-Performance Bricks through Geopolymerization of Plastic Waste,” in *E3S Web of Conferences*, EDP Sciences, 2023, p. 01202.

[34] S. Bali *et al.*, “A framework to assess the smartphone buying behaviour using DEMATEL method in the Indian context,” *Ain Shams Engineering Journal*, 2023, doi: 10.1016/J.ASEJ.2023.102129.

[35] V. S. Rana *et al.*, “Assortment of latent heat storage materials using multi criterion decision making techniques in Scheffler solar reflector,” *International Journal on Interactive Design and Manufacturing*, 2023, doi: 10.1007/S12008-023-01456-9.

[36] P. Singh *et al.*, “Comparative Study of Concrete Cylinders Confined Using Natural and Artificial Fibre Reinforced Polymers,” *Lecture Notes in Mechanical Engineering*, pp. 79–91, 2023, doi: 10.1007/978-981-19-4147-4_8.

[37] P. Singh *et al.*, “Development of performance-based models for green concrete using multiple linear regression and artificial neural network,” *International Journal on Interactive Design and Manufacturing*, 2023, doi: 10.1007/S12008-023-01386-6.

[38] A. Jaswal *et al.*, “Synthesis and Characterization of Highly Transparent and Superhydrophobic Zinc Oxide (ZnO) Film,” *Lecture Notes in Mechanical Engineering*, pp. 119–127, 2023, doi: 10.1007/978-981-19-4147-4_12.

[39] T. K. Miroshnikova, I. A. Kirichenko, and S. Dixit, “Analytical aspects of anti-crisis measures of public administration,” *UPRAVLENIE / MANAGEMENT (Russia)*, vol. 10, no. 4, pp. 5–13, Jan. 2023, doi: 10.26425/2309-3633-2022-10-4-5-13.

[40] S. Dixit *et al.*, “Numerical simulation of sand–water slurry flow through pipe bend using CFD,” *International Journal on Interactive Design and Manufacturing*, Oct. 2022, doi: 10.1007/S12008-022-01004-X.

[41] R. Gera *et al.*, “A systematic literature review of supply chain management practices and performance,” *Mater Today Proc*, vol. 69, pp. 624–632, Jan. 2022, doi: 10.1016/J.MATPR.2022.10.203.

[42] Jena, M.K., Sharma, N.R., Petitt, M., Maulik, D. and Nayak, N.R., 2020. Pathogenesis of preeclampsia and therapeutic approaches targeting the placenta. *Biomolecules*, *10*(6), p.953.

[43] Singh, S., Kumar, V., Kapoor, D., Kumar, S., Singh, S., Dhanjal, D.S., Datta, S., Samuel, J., Dey, P., Wang, S. and Prasad, R., 2020. Revealing on hydrogen sulfide and nitric oxide signals co-ordination for plant growth under stress conditions. *Physiologia Plantarum*, *168*(2), pp.301-317.

[44] Nagpal, R., Behare, P.V., Kumar, M., Mohania, D., Yadav, M., Jain, S., Menon, S., Parkash, O., Marotta, F., Minelli, E. and Henry, C.J.K., 2012. Milk, milk products, and disease free health: an updated overview. *Critical reviews in food science and nutrition*, *52*(4), pp.321-333.

[45] Kumar, A., Sharma, S., Goyal, N., Singh, A., Cheng, X. and Singh, P., 2021. Secure and energy-efficient smart building architecture with emerging technology IoT. *Computer Communications*, *176*, pp.207-217.

[46] Kehinde, B.A. and Sharma, P., 2020. Recently isolated antidiabetic hydrolysates and peptides from multiple food sources: A review. *Critical reviews in food science and nutrition*, *60*(2), pp.322-340.